

GOVERNMENT OF ANDHRA PRADESH

A B S T R A C T

PUBLIC SERVANTS – Sri Jatavatu Kevaliya, Executive Engineer, Special Minor Irrigation Sub-Division, Kota Ramachandra Puram, West Godavari District- Departmental Proceedings under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules 1991- Articles of Charges-Issued.

=====

IRRIGATION & CAD (SER. VI.2) DEPARTMENT

G.O.Rt.No. 1585

Dated:- 01.10.2009

ORDER:

It is proposed to hold an inquiry against Sri Jatavatu Kevaliya, Executive Engineer, Special Minor Irrigation Sub-Division, Kota Ramachandra Puram, West Godavari District in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charges (Annexure-I). A statement of imputations of misconduct or misbehavior in support of each article of charge is enclosed (Annexure-II). A list of documents by which, and a list of witnesses by whom, the articles of charge are proposed to be sustained are also enclosed (Annexure III and IV).

3. Sri Jatavatu Kevaliya, Executive Engineer, Special Minor Irrigation Sub-Division, Kota Ramachandra Puram, West Godavari District is directed to submit within 10 days of the receipt of this Memorandum a written statement of defense and also state whether he desires to be heard in person.

4. Sri Jatavatu Kevaliya, Executive Engineer, Special Minor Irrigation Sub-Division, Kota Ramachandra Puram, West Godavari District is informed that an inquiry will be held only in respect of those articles of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri Jatavatu Kevaliya, Executive Engineer, Special Minor Irrigation Sub-Division, Kota Ramachandra Puram, West Godavari District is further informed that if he does not submit his written statement of defense on or before the date specified in Para 3 above or otherwise fails or refuses to comply with the provisions of rule 20 of Andhra Pradesh Civil Services (CC&A) Rules 1991 or the orders / directions issued in pursuance of the said rules, the inquiring Authority may hold the inquiry against him ex-parte.

6. Attention of Sri Jatavatu Kevaliya, Executive Engineer, Special Minor Irrigation Sub-Division, Kota Ramachandra Puram, West Godavari District is invited to Rule 24 of the A.P. Civil Services (Conduct) Rules, 1964 under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with in these proceedings.

Contd.. page. 2.

//2//

7. The Engineer-in-Chief (AW), Irrigation & CAD department,, Hyderabad is requested to communicate the date of acknowledgement of Accused Officer immediately.

8 The receipt of the G.O. may please be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri Jatavatu Kevaliya, Executive Engineer,
Special Minor Irrigation Sub-Division,
Kota Ramachandra Puram, West Godavari District
through Engineer-in-Chief (Admn.Wing), Irrigation & CAD Department, Hyderabad.

Copy toThe Engineer-In-Chief (Admn.Wing),
I&CAD Department, Errumanzil , Hyderabad
The Director General, Anti Corruption Bureau,
Hyderabad

// FORWARDED BY ORDER //

SECTION OFFICER